Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
SI	2	*5,842,027*pn.	US-PGPUB, USPAT, USOCR, EPO, JPO, DERWENT	OR	OFF	2004/12/13 12:05
S2	115	determin\$3 near5 resource\$1 near5 (task\$1 or function\$1) near5 (necessary requir\$3)	US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/13 12:22
S3	32	only near5 (enabl\$3 or power\$3) near5 (peripheral\$1: or device\$1: or component\$1) near5 (task\$1 or function\$1) near5 (necessary, requir\$3)	US-PGPUB, USPAT, USOCR, EPO, JPO, DERWENT , IBM_TDB	OR .	OFF	2004/12/14 15:22
S4	2	"5,532,945".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/13 12:22
S5	17 2	("5532945") URPN	USPAT US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT; IBM_TDB	OR OR	OFF OFF	2004/12/13 15:08 2004/12/14 09:04
S13	3	"535984" ag.	US-PGPUB, USPAT, USOCR, EPO, JPO, DERWENT , IBM_TDB	OR	OFF	2004/12/14 09:04
S14	23	obitsu near2 toshiro	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 09:05
S15	23	(obitsu near2 toshiro) in	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ÖFF	2004/12/14 09:24
S16	2	"5,760,636".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 09:48
		(component\$1 or device\$1) near\$ combination:	USPAT; USOCR, EPO; JPO; DERWENT , IBM_TDB	OR	OFF	2004/12/14 09:49
S18		S17 near6 (function\$1 or operation\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 09:49
S19		S18 same tableS1	US-PGPUB, USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 09:50
\$20	29	S19 and g06f\$.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 09:54
S21	2138	map\$4 near5 (component\$1 or device\$1) near5 (function\$1 or operation\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OPF	2004/12/14 09:53

S22	871	S21 and g06f5.ipc.	US-PGPUB;	OR	OFF	2004/12/14 09:59
			USPAT, USOCR, EPO; JPO; DERWENT ; IBM_TDB			
S23	188	S21:same tableS1	US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT	OR	OFF	2004/12/14 09:54
S24	79	S23 and g06f\$.ipc.	US-PGPUB, US-PGPUB, USPAT, USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 09:57
S25	40222	(necessary or required) near5 (component\$1 device\$1) near5 (function\$1 operation\$1)	US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT	OR	OFF	2004/12/14 10:01
S26	82	S25 same combination same table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 09:59
S27 S28	4 5436	\$25 and g06f\$.ipc \$25 and g06f\$.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB US-PGPUB;	OR OR	OFF OFF	2004/12/14 10:35
52 5	3.30		USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OK .	OFF	2004/12/14 10:01
S29	1566	S25 same (id\$) or identification)	US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT ; IBM_TDB	OR	OPP	2004/12/14 10:01
S30	2327	predetermined near6 combination near6 (device\$1 component\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 10:04
S31	181	S30 near8 (operation\$1 function\$1)	US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 10:04
S32	· 22	S31 and g06f\$.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 10:02
S33	1092	predetermined near6 combination near6 (unit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/14 10:08
S34	0	S13 near8 (operation\$1 function\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 10:05
S35.	106	S33 near8 (operation\$1 function\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OPP	2004/12/14 10:05
S36	135	predetermined near6 combination and "710"/\$3.ccls.	US-PGPUB; US-PGPUB; US-PAT; US-OCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 10:08

S37	39	(predetermined near6 combination near6 (unit\$1 card\$1 component\$1 device\$1)) and ("710"/\$3.ccb. or "713"/\$3.ccb.)	US-PGPUB; USPAT; USOCR; EPO, JPO, DERWENT	OR	OFF	2004/12/14 10:19
S38	131	(predetermined near6 combination near6 (unit\$) card\$1 component\$1 device\$(1)) same table	; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT	OR	OFF	2004/12/14 10:22
S39	1192	((required or necessary) near5 resource\$1) same table	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/14 10:35
S40	1625	((required or necessary) near5 resource\$1) near8 determin\$3	; IBM_TDB US-PGPUB; USPAT; EPO; IPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 10:35
S41	92	S40 same table	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 10:35
S42	62	S41 and g06/S, tpe	US-PGPUB; USPAT; USOCR; EPG; IPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 11:31
S43	224	sampi\$3 near5 clock\$1 near5 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 11:36
S44	11	S43 same ((signal adj1 processing) near5 clock\$3)	US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 11:35
S45	406	samp \$3 near5 rate\$1 near5 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 11:36
S46	5	S45 near5 multiple	US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT	OR	OFF	2004/12/14 14:54
S47	2	*5721937*.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 15:07
S48	238	asghar in	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 15:07
S49	7	S48 and (reduc\$3 near3 power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 15:08
S50 S51	6	("5790817") URPN	USPAT US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR OR	OFF OFF	2004/12/14 15:09: 2004/12/14 15:21
S52	729	only near5 (enabl\$3 or power\$3) near5 (peripheral\$1 or device\$1 or component\$1) near5 (need\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 15:21

S53	1820	only near5 (enabl\$3 or power\$3) near5 (peripheral\$1 or device\$1 or component\$1) near5 (necessary requir\$3)	US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 15:22
S54		SS2 same (completS3 near5 (task\$ or function\$1))	US-PGPUB; USPAT:	OR	OPF	2004/12/14 15:23
S55	5	S53 same (complet\$3 near5 (task\$ or function\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/14 15:23
S56	2	("5881300"),URPN	USPAT	OR	OFF	2004/12/14 15:55